


Scorrevoli con staffa a scomparsa

Slides with hidden bracket
Coulisses avec patte de fixation encastree
Schlitten mit einzugbügel
Elementos de deslizamiento con estribo escondido



POSIZIONAMENTO / POSITIONING / POSITIONNEMENT / POSITIONIERUNG / POSICIONAMIENTO

- 1) INSERIRE IL CARRELLO
- 1) INSERT TROLLEY
- 1) INTRODUIRE LES ROUES DE GUIDAGE
- 1) DEN SCHLITTEN EINSETZEN
- 1) INTRODUCIR EL CARRO


- 2) BLOCCARE
- 2) LOCK IT
- 2) VISSER
- 2) BLOCKIEREN
- 2) BLOQUEAR

16

Max.8

FRESATA
MILLED
FRAISAGE
FRÄSEN
FRESADO

- 3) REGOLAZIONE
- 3) ADJUSTING
- 3) REGLAGE
- 3) REGULIERUNG
- 3) AJUSTE



Descrizione misure


Size description
Description des dimensions
Maßbeschreibung
Descripción medidas



<p>30Kg</p>		
<p>40Kg</p>		
<p>60Kg</p>		
<p>80Kg</p>		
<p>120Kg</p>		
<p>160Kg</p>		
<p>240Kg</p>		

Descrizione misure













Size description
Description des dimensions
Maßbeschreibung
Descripción medidas



Descrizione misure

Size description
Description des dimensions
Maßbeschreibung
Descripción medidas




KIT con binari e BLISTER per porte fino a Kg.30 con fermo standard

Kit with tracks and BLISTER for doors up to 30 kg with classic stopper
 Kit avec rails et BLISTER pour portes jusqu'à 30 kg avec fermeture standard
 Set mit Führungsschienen und BLISTER für Türen mit einem Gewicht bis zu 30 Kg und Standard-Schließvorrichtung
 Kit con rieles y BLISTER para puertas hasta 30 kg con cerrojo estándar




PER PORTE Min 700mm
 FOR DOORS Min 700mm


KIT in scatola / KIT in box



ART. 30/T/G/SC/SEN



Art. 1034/T



Art. 1034/T



Art. 1031



Art. 1031




Art. 1032




Art. 1029

ART. 30/T/G/SC/CON



Art. 1034/T



Art. 1034/T



Art. 1031



Art. 1031



Art. 1032



Art. 1029



n.3 Art. 126

BINARI - TRACKS

BINARIO STANDARD
 STANDARD TRACK




Art. 1030

BINARI A RICHIESTA (SPECIFICARE ALL'ORDINE)
 OPTIONAL TRACKS (SPECIFY WHEN ORDERING)



Art. 1130

BLISTER



ARTICOLO (CON SQUADRETTE)
 ARTICLE (WITH BRACKETS)



LARGHEZZA PORTA
 DOOR WIDTH
 MIN. MAX

LUNGHEZZA
 BINARIO
 TRACK LENGTH

ARTICOLO (SENZA SQUADRETTE)
 ARTICLE (WITHOUT BRACKETS)



30/T/P/SC150CON	N° 4	700mm - 850mm	1500mm	30/T/P/SC150SEN
30/T/P/SC165CON	N° 5	860mm - 950mm	1650mm	30/T/P/SC165SEN
30/T/P/SC200CON	N° 5	960mm - 1100mm	2000mm	30/T/P/SC200SEN
30/T/P/SC250CON	N° 6	1110mm - 1350mm	2500mm	30/T/P/SC250SEN
30/T/P/SC300CON	N° 7	1360mm - 1600mm	3000mm	30/T/P/SC300SEN


KIT con binari e BLISTER per porte fino a Kg.40 con fermo standard

Kit with tracks and BLISTER for doors up to 40 kg with soft closing
 Kit avec rails et BLISTER pour portes jusqu'à 40 kg avec fermeture amortie
 Set mit Führungsschienen und BLISTER für Türen mit einem Gewicht bis zu 40 Kg und gedämpfter Schließvorrichtung
 Kit con rieles y BLISTER para puertas hasta 40 kg con cerrojo amortiguado




PER PORTE Min 700mm
 FOR DOORS Min 700mm


KIT in scatola / KIT in box



ART. 40/T/G/SC/SEN




ART. 40/T/G/sc/CON




BINARI - TRACKS

BINARIO STANDARD
 STANDARD TRACK




Art.1280

BINARI A RICHIESTA (SPECIFICARE ALL'ORDINE)
 OPTIONAL TRACKS (SPECIFY WHEN ORDERING)



BLISTER



ARTICOLO (CON SQUADRETTE)
 ARTICLE (WITH BRACKETS)



LARGHEZZA PORTA
 DOOR WIDTH
 MIN, MAX

LUNGHEZZA
 BINARIO
 TRACK LENGTH

ARTICOLO (SENZA SQUADRETTE)
 ARTICLE (WITHOUT BRACKETS)



40/T/P/SC150CON	N° 4	700mm - 850mm	1500mm	40/T/P/SC150SEN
40/T/P/SC165CON	N° 5	860mm - 950mm	1650mm	40/T/P/SC165SEN
40/T/P/SC200CON	N° 5	960mm - 1100mm	2000mm	40/T/P/SC200SEN
40/T/P/SC250CON	N° 6	1110mm - 1350mm	2500mm	40/T/P/SC250SEN
40/T/P/SC300CON	N° 7	1360mm - 1600mm	3000mm	40/T/P/SC300SEN


KIT con binari e BLISTER per porte fino a Kg.40 con fermo ammortizzato

Kit with tracks and BLISTER for doors up to 40 kg with soft closing
 Kit avec rails et BLISTER pour portes jusqu'à 40 kg avec fermeture amortie
 Set mit Führungsschienen und BLISTER für Türen mit einem Gewicht bis zu 40 Kg und gedämpfter Schließvorrichtung
 Kit con rieles y BLISTER para puertas hasta 40 kg con cerrojo amortiguado




PER PORTE Min 700mm
 FOR DOORS Min 700mm

KIT in scatola / KIT in box




ART. 1696/G/82T/G/S



Art. 1696/443/35G

Art. 82/T



Art. 1674



Art. 46




Art. 45



Art. 1029




ART. 1696/G/82T/G/C



Art. 1696/443/35G

Art. 82/T



Art. 1674



Art. 46



Art. 45




Art. 1029



n.4 Art. 127-DV


BINARI - TRACKS

BINARIO STANDARD
 STANDARD TRACK



Art. 1280

BINARI A RICHIESTA (SPECIFICARE ALL'ORDINE)
 OPTIONAL TRACKS (SPECIFY WHEN ORDERING)



Art. 1080


Art. 1359

Art. 1559

Art. 1700
Art. 1720

Art. 1700
Art. 1710

BLISTER



ARTICOLO (CON SQUADRETTE)
 ARTICLE (WITH BRACKETS)



LARGHEZZA PORTA
 DOOR WIDTH
 MIN. MAX

LUNGHEZZA
 BINARIO
 TRACK LENGTH

ARTICOLO (SENZA SQUADRETTE)
 ARTICLE (WITHOUT BRACKETS)



1696G82T/150/C

N° 4

700mm - 850mm

1500mm

1696G82T/150/S

1696G82T/165/C

N° 5

860mm - 950mm

1650mm

1696G82T/165/S

1696G82T/200/C

N° 5

960mm - 1100mm

2000mm

1696G82T/200/S

1696G82T/250/C

N° 6

1110mm - 1350mm

2500mm

1696G82T/250/S

1696G82T/300/C

N° 7

1360mm - 1600mm

3000mm

1696G82T/300/S

KIT con binari e BLISTER per porte fino a Kg.40 con fermo ammortizzato

Kit with tracks and BLISTER for doors up to 40 kg with soft closing
 Kit avec rails et BLISTER pour portes jusqu'à 40 kg avec fermeture amortie
 Set mit Führungsschienen und BLISTER für Türen mit einem Gewicht bis zu 40 Kg und gedämpfter Schließvorrichtung
 Kit con rieles y BLISTER para puertas hasta 40 kg con cerrojo amortiguado




PER PORTE Min 700mm
 FOR DOORS Min 700mm

KIT in scatola / KIT in box




ART. 40/TG/SC/S/FAN




Art. 1642/T



Art. 1642/T



Art. 1627/09



Art. 1627/09



Art. 45




Art. 1029

ART. 40/TG/SC/C/FAN




Art. 1642/T



Art. 1642/T



Art. 1627/09



Art. 1627/09



Art. 45




Art. 1029



n.4 Art. 127-DV

BINARI - TRACKS

BINARIO STANDARD
 STANDARD TRACK




Art. 1280


BINARI A RICHIESTA (SPECIFICARE ALL'ORDINE)
 OPTIONAL TRACKS (SPECIFY WHEN ORDERING)



Art. 1080



Art. 1359



Art. 1559




Art. 1700
 Art. 1720



Art. 1700
 Art. 1710

BLISTER



ARTICOLO (CON SQUADRETTE)
 ARTICLE (WITH BRACKETS)



LARGHEZZA PORTA
 DOOR WIDTH
 MIN, MAX

LUNGHEZZA
 BINARIO
 TRACK LENGTH

ARTICOLO (SENZA SQUADRETTE)
 ARTICLE (WITHOUT BRACKETS)



40T/PSC150CFAN

N° 4

700mm - 850mm

1500mm

40T/PSC150SFAN

40T/PSC165CFAN

N° 5

860mm - 950mm

1650mm

40T/PSC165SFAN

40T/PSC200CFAN

N° 5

960mm - 1100mm

2000mm

40T/PSC200SFAN

40T/PSC250CFAN

N° 6

1110mm - 1350mm

2500mm

40T/PSC250SFAN

40T/PSC300CFAN

N° 7

1360mm - 1600mm

3000mm

40T/PSC300SFAN


KIT con binari e BLISTER per porte fino a Kg.40 con fermo ammortizzato

Kit with tracks and BLISTER for doors up to 40 kg with soft closing
Kit avec rails et BLISTER pour portes jusqu'à 40 kg avec fermeture amortie
Set mit Führungsschienen und BLISTER für Türen mit einem Gewicht bis zu 40 Kg und gedämpfter Schließvorrichtung
Kit con rieles y BLISTER para puertas hasta 40 kg con cerrojo amortiguado




PER PORTE Min 700mm
FOR DOORS Min 700mm


KIT in scatola / KIT in box




ART. 1696/G/1646/G/S



Art. 1696/443/35G



Art. 1646/T



Art. 1674



Art. 1627/09




Art. 45




Art. 1029


ART. 1696/G/1646/G/C



Art. 1696/443/35G



Art. 1646/T



Art. 1674



Art. 1627/09



Art. 45




Art. 1029



n.4 Art. 127-DV


BINARI - TRACKS

BINARIO STANDARD
STANDARD TRACK



Art. 1280

BINARI A RICHIESTA (SPECIFICARE ALL'ORDINE)
OPTIONAL TRACKS (SPECIFY WHEN ORDERING)



Art. 1080


Art. 1359

Art. 1559

Art. 1700
Art. 1720

Art. 1700
Art. 1710

BLISTER



ARTICOLO (CON SQUADRETTE)
ARTICLE (WITH BRACKETS)



LARGHEZZA PORTA
DOOR WIDTH
MIN, MAX

LUNGHEZZA
BINARIO
TRACK LENGTH

ARTICOLO (SENZA SQUADRETTE)
ARTICLE (WITHOUT BRACKETS)



1696G1646T/150/C

N° 4

700mm - 850mm

1500mm

1696G1646T/150/S

1696G1646T/165/C

N° 5

860mm - 950mm

1650mm

1696G1646T/165/S

1696G1646T/200/C

N° 5

960mm - 1100mm

2000mm

1696G1646T/200/S

1696G1646T/250/C

N° 6

1110mm - 1350mm

2500mm

1696G1646T/250/S

1696G1646T/300/C

N° 7

1360mm - 1600mm

3000mm

1696G1646T/300/S


KIT con binari e BLISTER per porte fino a Kg.40 con fermo ammortizzato

Kit with tracks and BLISTER for doors up to 40 kg with soft closing
 Kit avec rails et BLISTER pour portes jusqu'à 40 kg avec fermeture amortie
 Set mit Führungsschienen und BLISTER für Türen mit einem Gewicht bis zu 40 Kg und gedämpfter Schließvorrichtung
 Kit con rieles y BLISTER para puertas hasta 40 kg con cerrojo amortiguado




PER PORTE Min 920mm
 FOR DOORS Min 920mm


KIT in scatola / KIT in box



ART. 1696/G/1696/G/S




ART. 1696/G/1696/G/C



BINARI - TRACKS

BINARIO STANDARD
 STANDARD TRACK



Art. 1280

BINARI A RICHIESTA (SPECIFICARE ALL'ORDINE)
 OPTIONAL TRACKS (SPECIFY WHEN ORDERING)



Art. 1080


Art. 1359

Art. 1559

Art. 1700
 Art. 1720

Art. 1700
 Art. 1710

BLISTER



ARTICOLO (CON SQUADRETTE)
 ARTICLE (WITH BRACKETS)



LARGHEZZA PORTA
 DOOR WIDTH
 MIN, MAX

LUNGHEZZA
 BINARIO
 TRACK LENGTH

ARTICOLO (SENZA SQUADRETTE)
 ARTICLE (WITHOUT BRACKETS)



1696G1696G/200/C

N° 5

920mm - 1100mm

2000mm

1696G1696G/200/S

1696G1696G/250/C

N° 6

1110mm - 1350mm

2500mm

1696G1696G/250/S

1696G1696G/300/C

N° 7

1360mm - 1600mm

3000mm

1696G1696G/300/S


KIT con binari e BLISTER per porte fino a Kg.60 con fermo standard

Kit with tracks and BLISTER for doors up to 60 kg with classic stopper
 Kit avec rails et BLISTER pour portes jusqu'à 60 kg avec fermeture standard
 Set mit Führungsschienen und BLISTER für Türen mit einem Gewicht bis zu 60 Kg und Standard-Schließvorrichtung
 Kit con rieles y BLISTER para puertas hasta 60 kg con cerrojo estándar



PER PORTE Min 700mm
 FOR DOORS Min 700mm

KIT in scatola / KIT in box



ART. 60/T/G/SC/SEN



Art. 63/T



Art. 63/T



Art. 46



Art. 46



Art. 45



Art. 1029

ART. 60/T/G/SC/CON



Art. 63/T



Art. 63/T



Art. 46



Art. 46



Art. 45




Art. 1029



n.4 Art. 127-DV

BINARI - TRACKS

BINARIO STANDARD
 STANDARD TRACK




Art. 1280

BINARI A RICHIESTA (SPECIFICARE ALL'ORDINE)
 OPTIONAL TRACKS (SPECIFY WHEN ORDERING)




Art. 1080




Art. 1359



Art. 1559




Art. 1700
 Art. 1720



Art. 1700
 Art. 1710

BLISTER



ARTICOLO (CON SQUADRETTE)
 ARTICLE (WITH BRACKETS)



LARGHEZZA PORTA
 DOOR WIDTH
 MIN. MAX

LUNGHEZZA
 BINARIO
 TRACK LENGTH

ARTICOLO (SENZA SQUADRETTE)
 ARTICLE (WITHOUT BRACKETS)



60/T/P/SC150CON

N° 4

700mm - 850mm

1500mm

60/T/P/SC150SEN

60/T/P/SC165CON

N° 5

860mm - 950mm

1650mm

60/T/P/SC165SEN

60/T/P/SC200CON

N° 5

960mm - 1100mm

2000mm

60/T/P/SC200SEN

60/T/P/SC250CON

N° 6

1110mm - 1350mm

2500mm

60/T/P/SC250SEN

60/T/P/SC300CON

N° 7

1360mm - 1600mm

3000mm

60/T/P/SC300SEN

KIT con binari e BLISTER per porte fino a Kg.60 con fermo ammortizzato

Kit with tracks and BLISTER for doors up to 60 kg with soft closing
 Kit avec rails et BLISTER pour portes jusqu'à 60 kg avec fermeture amortie
 Set mit Führungsschienen und BLISTER für Türen mit einem Gewicht bis zu 60 Kg und gedämpfter Schließvorrichtung
 Kit con rieles y BLISTER para puertas hasta 60 kg con cerrojo amortiguado




PER PORTE Min 700mm
 FOR DOORS Min 700mm

KIT in scatola / KIT in box




ART. 60/T/G/SC/S/FAN




Art. 1644/T



Art. 1644/T



Art. 1627/10



Art. 1627/10




Art. 45



Art. 1029


ART. 60/T/G/SC/C/FAN



Art. 1644/T



Art. 1644/T



Art. 1627/10



Art. 1627/10



Art. 45




Art. 1029



n.4 Art. 127-DV

BINARI - TRACKS

BINARIO STANDARD
 STANDARD TRACK




Art. 1280

BINARI A RICHIESTA (SPECIFICARE ALL'ORDINE)
 OPTIONAL TRACKS (SPECIFY WHEN ORDERING)



Art. 1080




Art. 1359



Art. 1559




Art. 1700
 Art. 1720



Art. 1700
 Art. 1710

BLISTER



ARTICOLO (CON SQUADRETTE)
 ARTICLE (WITH BRACKETS)



LARGHEZZA PORTA
 DOOR WIDTH
 MIN, MAX

LUNGHEZZA
 BINARIO
 TRACK LENGTH

ARTICOLO (SENZA SQUADRETTE)
 ARTICLE (WITHOUT BRACKETS)



60/T/P/SC150CFAN

N° 4

700mm - 850mm

1500mm

60/T/P/SC150SFAN

60/T/P/SC165CFAN

N° 5

860mm - 950mm

1650mm

60/T/P/SC165SFAN

60/T/P/SC200CFAN

N° 5

960mm - 1100mm

2000mm

60/T/P/SC200SFAN

60/T/P/SC250CFAN

N° 6

1110mm - 1350mm

2500mm

60/T/P/SC250SFAN

60/T/P/SC300CFAN

N° 7

1360mm - 1600mm

3000mm

60/T/P/SC300SFAN


KIT con binari e BLISTER per porte fino a Kg.80 con fermo standard

Kit with tracks and BLISTER for doors up to 80 kg with classic stopper
 Kit avec rails et BLISTER pour portes jusqu'à 80 kg avec fermeture standard
 Set mit Führungsschienen und BLISTER für Türen mit einem Gewicht bis zu 80 Kg und Standard-Schließvorrichtung
 Kit con rieles y BLISTER para puertas hasta 80 kg con cerrojo estándar




PER PORTE Min 700mm
 FOR DOORS Min 700mm


KIT in scatola / KIT in box



ART. 80/T/G/SC/SEN




ART. 80/T/G/SC/CON




BINARI - TRACKS

BINARIO STANDARD
 STANDARD TRACK



Art.1280

BINARI A RICHIESTA (SPECIFICARE ALL'ORDINE)
 OPTIONAL TRACKS (SPECIFY WHEN ORDERING)



Art.1080

Art.1359

Art.1559


Art.1700
Art.1720

Art.1700
Art.1710

Art.80

Art.1180

BLISTER



ARTICOLO (CON SQUADRETTE)
 ARTICLE (WITH BRACKETS)



LARGHEZZA PORTA
 DOOR WIDTH
 MIN. MAX

LUNGHEZZA
 BINARIO
 TRACK LENGTH

ARTICOLO (SENZA SQUADRETTE)
 ARTICLE (WITHOUT BRACKETS)



80/T/P/SC150CON	N° 4	700mm - 850mm	1500mm	80/T/P/SC150SEN
80/T/P/SC165CON	N° 5	860mm - 950mm	1650mm	80/T/P/SC165SEN
80/T/P/SC200CON	N° 5	960mm - 1100mm	2000mm	80/T/P/SC200SEN
80/T/P/SC250CON	N° 6	1110mm - 1350mm	2500mm	80/T/P/SC250SEN
80/T/P/SC300CON	N° 7	1360mm - 1600mm	3000mm	80/T/P/SC300SEN


KIT con binari e BLISTER per porte fino a Kg.80 con fermo ammortizzato

Kit with tracks and BLISTER for doors up to 80 kg with soft closing
 Kit avec rails et BLISTER pour portes jusqu'à 80 kg avec fermeture amortie
 Set mit Führungsschienen und BLISTER für Türen mit einem Gewicht bis zu 80 Kg und gedämpfter Schließvorrichtung
 Kit con rieles y BLISTER para puertas hasta 80 kg con cerrojo amortiguado




PER PORTE Min 700mm
 FOR DOORS Min 700mm


KIT in scatola / KIT in box




ART. 1696/Y/82T/G/S



Art.1696/443/80Y



Art.82/T



Art.1674



Art.84




Art.45




Art.1029




ART. 1696/Y/82T/G/C



Art.1696/443/80Y



Art.82/T



Art.1674



Art.84



Art.45



Art.1029




n.5 Art.127-DV




BINARI - TRACKS

BINARIO STANDARD
 STANDARD TRACK




Art.1280


BINARI A RICHIESTA (SPECIFICARE ALL'ORDINE)
 OPTIONAL TRACKS (SPECIFY WHEN ORDERING)



Art.1080




Art.1359



Art.1559




Art.1700
 Art.1720



Art.1700
 Art.1710

BLISTER



ARTICOLO (CON SQUADRETTE)
 ARTICLE (WITH BRACKETS)



LARGHEZZA PORTA
 DOOR WIDTH
 MIN, MAX

LUNGHEZZA
 BINARIO
 TRACK LENGTH

ARTICOLO (SENZA SQUADRETTE)
 ARTICLE (WITHOUT BRACKETS)



1696Y82T/150/C

N° 4

700mm - 850mm

1500mm

1696Y82T/150/S

1696Y82T/165/C

N° 5

860mm - 950mm

1650mm

1696Y82T/165/S

1696Y82T/200/C

N° 5

960mm - 1100mm

2000mm

1696Y82T/200/S

1696Y82T/250/C

N° 6

1110mm - 1350mm

2500mm

1696Y82T/250/S

1696Y82T/300/C

N° 7

1360mm - 1600mm

3000mm

1696Y82T/300/S


KIT con binari e BLISTER per porte fino a Kg.80 con fermo ammortizzato

Kit with tracks and BLISTER for doors up to 80 kg with soft closing
 Kit avec rails et BLISTER pour portes jusqu'à 80 kg avec fermeture amortie
 Set mit Führungsschienen und BLISTER für Türen mit einem Gewicht bis zu 80 Kg und gedämpfter Schließvorrichtung
 Kit con rieles y BLISTER para puertas hasta 80 kg con cerrojo amortiguado




PER PORTE Min 700mm
 FOR DOORS Min 700mm


KIT in scatola / KIT in box




ART. 80/TG/SC/C/FAN



Art. 1646/T



Art. 1646/T



Art. 1627/10



Art. 1627/10




Art. 45




Art. 1029

ART. 80/TG/SC/S/FAN



Art. 1646/T



Art. 1646/T



Art. 1627/10



Art. 1627/10



Art. 45




Art. 1029



n.5 Art. 127-DV

BINARI - TRACKS

BINARIO STANDARD
 STANDARD TRACK




Art. 1280


BINARI A RICHIESTA (SPECIFICARE ALL'ORDINE)
 OPTIONAL TRACKS (SPECIFY WHEN ORDERING)



Art. 1080




Art. 1359



Art. 1559




Art. 1700
 Art. 1720



Art. 1700
 Art. 1710

BLISTER



ARTICOLO (CON SQUADRETTE)
 ARTICLE (WITH BRACKETS)



LARGHEZZA PORTA
 DOOR WIDTH
 MIN. MAX

LUNGHEZZA
 BINARIO
 TRACK LENGTH

ARTICOLO (SENZA SQUADRETTE)
 ARTICLE (WITHOUT BRACKETS)



80T/PSC150CFAN

N° 4

700mm - 850mm

1500mm

80T/PSC150SFAN

80T/PSC165CFAN

N° 5

860mm - 950mm

1650mm

80T/PSC165SFAN

80T/PSC200CFAN

N° 5

960mm - 1100mm

2000mm

80T/PSC200SFAN

80T/PSC250CFAN

N° 6

1110mm - 1350mm

2500mm

80T/PSC250SFAN

80T/PSC300CFAN

N° 7

1360mm - 1600mm

3000mm

80T/PSC300SFAN


KIT con binari e BLISTER per porte fino a Kg.80 con fermo ammortizzato

Kit with tracks and BLISTER for doors up to 80 kg with soft closing
 Kit avec rails et BLISTER pour portes jusqu'à 80 kg avec fermeture amortie
 Set mit Führungsschienen und BLISTER für Türen mit einem Gewicht bis zu 80 Kg und gedämpfter Schließvorrichtung
 Kit con rieles y BLISTER para puertas hasta 80 kg con cerrojo amortiguado




PER PORTE Min 700mm
 FOR DOORS Min 700mm


KIT in scatola / KIT in box




ART. 1696/Y/1646/G/S




Art.1696/443/80Y



Art.1646/T



Art.1674



Art.1627/10




Art.45




Art.1029




ART. 1696/Y/1646/G/C




Art.1696/443/80Y



Art.1646/T



Art.1674



Art.1627/10



Art.45



Art.1029




n.5 Art.127-DV



BINARI - TRACKS

BINARIO STANDARD
 STANDARD TRACK




Art.1280


BINARI A RICHIESTA (SPECIFICARE ALL'ORDINE)
 OPTIONAL TRACKS (SPECIFY WHEN ORDERING)



Art.1080




Art.1359



Art.1559




Art.1700
 Art.1720



Art.1700
 Art.1710

BLISTER



ARTICOLO (CON SQUADRETTE)
 ARTICLE (WITH BRACKETS)



LARGHEZZA PORTA
 DOOR WIDTH
 MIN, MAX

LUNGHEZZA
 BINARIO
 TRACK LENGTH

ARTICOLO (SENZA SQUADRETTE)
 ARTICLE (WITHOUT BRACKETS)



1696Y1646T/150/C

N° 4

700mm - 850mm

1500mm

1696Y1646T/150/S

1696Y1646T/165/C

N° 5

860mm - 950mm

1650mm

1696Y1646T/165/S

1696Y1646T/200/C

N° 5

960mm - 1100mm

2000mm

1696Y1646T/200/S

1696Y1646T/250/C

N° 6

1110mm - 1350mm

2500mm

1696Y1646T/250/S

1696Y1646T/300/C

N° 7

1360mm - 1600mm

3000mm

1696Y1646T/300/S


KIT con binari e BLISTER per porte fino a Kg.80 con fermo ammortizzato

Kit with tracks and BLISTER for doors up to 80 kg with soft closing
 Kit avec rails et BLISTER pour portes jusqu'à 80 kg avec fermeture amortie
 Set mit Führungsschienen und BLISTER für Türen mit einem Gewicht bis zu 80 Kg und gedämpfter Schließvorrichtung
 Kit con rieles y BLISTER para puertas hasta 80 kg con cerrojo amortiguado




PER PORTE Min 920mm
 FOR DOORS Min 920mm


KIT in scatola / KIT in box



ART. 1696/Y/1696/G/C




ART. 1696/Y/1696/G/S



BINARI - TRACKS

BINARIO STANDARD
 STANDARD TRACK



Art. 1280

BINARI A RICHIESTA (SPECIFICARE ALL'ORDINE)
 OPTIONAL TRACKS (SPECIFY WHEN ORDERING)



Art. 1080


Art. 1359

Art. 1559

Art. 1700
 Art. 1720

Art. 1700
 Art. 1710

BLISTER



ARTICOLO (CON SQUADRETTE)
 ARTICLE (WITH BRACKETS)



LARGHEZZA PORTA
 DOOR WIDTH
 MIN. MAX

LUNGHEZZA
 BINARIO
 TRACK LENGTH

ARTICOLO (SENZA SQUADRETTE)
 ARTICLE (WITHOUT BRACKETS)



1696Y1696Y/200/C

N° 5

920mm - 1100mm

2000mm

1696Y1696Y/200/S

1696Y1696Y/250/C

N° 6

1110mm - 1350mm

2500mm

1696Y1696Y/250/S

1696Y1696Y/300/C

N° 7

1360mm - 1600mm

















3000mm







1696Y1696Y/300/S





KIT con binari e BLISTER per porte fino a Kg.120 con fermo standard

Kit with tracks and BLISTER for doors up to 120 kg with classic stopper
 Kit avec rails et BLISTER pour portes jusqu'à 120 kg avec fermeture standard
 Set mit Führungsschienen und BLISTER für Türen mit einem Gewicht bis zu 120 Kg und Standard-Schließvorrichtung
 Kit con rieles y BLISTER para puertas hasta 120 kg con cerrojo estándar



PER PORTE Min 700mm FOR DOORS Min 700mm		KIT in scatola / KIT in box			
ART. 100/T/G/SC/SEN					
					
Art. 103/T		Art. 103/T		Art. 84	
					
				Art. 84	
					
				Art. 93	
					
				Art. 1029	
ART. 100/T/G/SC/CON					
					
Art. 103/T		Art. 103/T		Art. 84	
					
				Art. 84	
					
				Art. 93	
					
				Art. 1029	
					
				n.5 Art. 127-DV	

BINARI - TRACKS	
BINARIO STANDARD STANDARD TRACK	BINARI A RICHIESTA (SPECIFICARE ALL'ORDINE) OPTIONAL TRACKS (SPECIFY WHEN ORDERING)
 <p>Art. 1280</p>	 <p>Art. 1080</p>  <p>Art. 1359</p>  <p>Art. 1559</p>  <p>Art. 1700 Art. 1720</p>  <p>Art. 1700 Art. 1710</p>

BLISTER 				
				
ARTICOLO (CON SQUADRETTE) ARTICLE (WITH BRACKETS)		LARGHEZZA PORTA DOOR WIDTH MIN, MAX	LUNGHEZZA BINARIO TRACK LENGTH	ARTICOLO (SENZA SQUADRETTE) ARTICLE (WITHOUT BRACKETS) 
100/T/P/SC150CO	N° 4	700mm - 850mm	1500mm	100/T/P/SC150SE
100/T/P/SC165CO	N° 5	860mm - 950mm	1650mm	100/T/P/SC165SE
100/T/P/SC200CO	N° 5	960mm - 1100mm	2000mm	100/T/P/SC200SE
100/T/P/SC250CO	N° 6	1110mm - 1350mm	2500mm	100/T/P/SC250SE
100/T/P/SC300CO	N° 7	1360mm - 1600mm	3000mm	100/T/P/SC300SE


KIT con binari e BLISTER per porte fino a Kg.120 con fermo ammortizzato

Kit with tracks and BLISTER for doors up to 120 kg with soft closing
 Kit avec rails et BLISTER pour portes jusqu'à 120 kg avec fermeture amortie
 Set mit Führungsschienen und BLISTER für Türen mit einem Gewicht bis zu 120 Kg und gedämpfter Schließvorrichtung
 Kit con rieles y BLISTER para puertas hasta 120 kg con cerrojo amortiguado





PER PORTE Min 700mm
 FOR DOORS Min 700mm

KIT in scatola / KIT in box



ART.1699M/82T/G/S



Art.82/T



Art.84





Art.93



Art.1029



ART.1699M/82T/G/C



Art.82/T



Art.84



Art.93



Art.1029




n.5 Art.127-DV




BINARI - TRACKS

BINARIO STANDARD
 STANDARD TRACK



Art.1280

BINARI A RICHIESTA (SPECIFICARE ALL'ORDINE)
 OPTIONAL TRACKS (SPECIFY WHEN ORDERING)



Art.1080


Art.1359

Art.1559

Art.1700
 Art.1720

Art.1700
 Art.1710

BLISTER



ARTICOLO (CON SQUADRETTE)
 ARTICLE (WITH BRACKETS)



LARGHEZZA PORTA
 DOOR WIDTH
 MIN. MAX

LUNGHEZZA
 BINARIO
 TRACK LENGTH

ARTICOLO (SENZA SQUADRETTE)
 ARTICLE (WITHOUT BRACKETS)



1699M/82T/150CON

N° 4

700mm - 850mm

1500mm

1699M/82T/150SEN

1699M/82T/165CON

N° 5

860mm - 950mm

1650mm

1699M/82T/165SEN

1699M/82T/200CON

N° 5

960mm - 1100mm

2000mm

1699M/82T/200SEN

1699M/82T/250CON

N° 6

1110mm - 1350mm

2500mm

1699M/82T/250SEN

1699M/82T/300CON

N° 7

1360mm - 1600mm

3000mm

1699M/82T/300SEN

KIT con binari e BLISTER per porte fino a Kg.120 con fermo ammortizzato

Kit with tracks and BLISTER for doors up to 120 kg with soft closing
 Kit avec rails et BLISTER pour portes jusqu'à 120 kg avec fermeture amortie
 Set mit Führungsschienen und BLISTER für Türen mit einem Gewicht bis zu 120 Kg und gedämpfter Schließvorrichtung
 Kit con rieles y BLISTER para puertas hasta 120 kg con cerrojo amortiguado



PER PORTE Min 700mm FOR DOORS Min 700mm		KIT in scatola / KIT in box			
ART. 100/TG/SC/S/FAN					
	Art. 1648/T		Art. 1648/T		Art. 1627/II
	Art. 1627/II		Art. 93		Art. 1029
ART. 100/TG/SC/C/FAN					
	Art. 1648/T		Art. 1648/T		Art. 1627/II
	Art. 1627/II		Art. 93		Art. 1029
			n.5 Art. 127-DV		

BINARI - TRACKS	
BINARIO STANDARD STANDARD TRACK	BINARI A RICHIESTA (SPECIFICARE ALL'ORDINE) OPTIONAL TRACKS (SPECIFY WHEN ORDERING)
Art. 1280	Art. 1080
	Art. 1359
	Art. 1559
	Art. 1700
	Art. 1710

BLISTER					
ARTICOLO (CON SQUADRETTE) ARTICLE (WITH BRACKETS)		LARGHEZZA PORTA DOOR WIDTH MIN, MAX	LUNGHEZZA BINARIO TRACK LENGTH	ARTICOLO (SENZA SQUADRETTE) ARTICLE (WITHOUT BRACKETS)	
100T/PSC150CFAN	N° 4	700mm - 850mm	1500mm	100T/PSC150SFAN	
100T/PSC165CFAN	N° 5	860mm - 950mm	1650mm	100T/PSC165SFAN	
100T/PSC200CFAN	N° 5	960mm - 1100mm	2000mm	100T/PSC200SFAN	
100T/PSC250CFAN	N° 6	1110mm - 1350mm	2500mm	100T/PSC250SFAN	
100T/PSC300CFAN	N° 7	1360mm - 1600mm	3000mm	100T/PSC300SFAN	


KIT con binari e BLISTER per porte fino a Kg.120 con fermo ammortizzato

Kit with tracks and BLISTER for doors up to 120 kg with soft closing
 Kit avec rails et BLISTER pour portes jusqu'à 120 kg avec fermeture amortie
 Set mit Führungsschienen und BLISTER für Türen mit einem Gewicht bis zu 120 Kg und gedämpfter Schließvorrichtung
 Kit con rieles y BLISTER para puertas hasta 120 kg con cerrojo amortiguado





PER PORTE Min 700mm
 FOR DOORS Min 700mm


KIT in scatola / KIT in box



ART.1699M/1646/G/S



Art. 1646/T



Art. 1627/11





Art. 93




Art. 1029



ART.1699M/1646/G/C



Art. 1646/T



Art. 1627/11



Art. 93



Art. 1029




n.5 Art. 127-DV




BINARI - TRACKS

BINARIO STANDARD
 STANDARD TRACK




Art. 1280


BINARI A RICHIESTA (SPECIFICARE ALL'ORDINE)
 OPTIONAL TRACKS (SPECIFY WHEN ORDERING)



Art. 1080



Art. 1359



Art. 1559




Art. 1700
 Art. 1720



Art. 1700
 Art. 1710

BLISTER



ARTICOLO (CON SQUADRETTE)
 ARTICLE (WITH BRACKETS)



LARGHEZZA PORTA
 DOOR WIDTH
 MIN. MAX

LUNGHEZZA
 BINARIO
 TRACK LENGTH

ARTICOLO (SENZA SQUADRETTE)
 ARTICLE (WITHOUT BRACKETS)



1699M1646T/150CON

N° 4

700mm - 850mm

1500mm

1699M1646T/150SEN

1699M1646T/165CON

N° 5

860mm - 950mm

1650mm

1699M1646T/165SEN

1699M1646T/200CON

N° 5

960mm - 1100mm

2000mm

1699M1646T/200SEN

1699M1646T/250CON

N° 6

1110mm - 1350mm

2500mm

1699M1646T/250SEN

1699M1646T/300CON

N° 7

1360mm - 1600mm

3000mm

1699M1646T/300SEN


KIT con binari e BLISTER per porte fino a Kg.120 con fermo ammortizzato

Kit with tracks and BLISTER for doors up to 120 kg with soft closing
 Kit avec rails et BLISTER pour portes jusqu'à 120 kg avec fermeture amortie
 Set mit Führungsschienen und BLISTER für Türen mit einem Gewicht bis zu 120 Kg und gedämpfter Schließvorrichtung
 Kit con rieles y BLISTER para puertas hasta 120 kg con cerrojo amortiguado




PER PORTE Min 1094mm
 FOR DOORS Min 1094mm


KIT in scatola / KIT in box



ART.1699M1699M/G/S




ART.1699M1699M/G/C



BINARI - TRACKS

BINARIO STANDARD
 STANDARD TRACK



Art.1280

BINARI A RICHIESTA (SPECIFICARE ALL'ORDINE)
 OPTIONAL TRACKS (SPECIFY WHEN ORDERING)



Art.1080


Art.1359

Art.1559

Art.1700
 Art.1720

Art.1700
 Art.1710

BLISTER



ARTICOLO (CON SQUADRETTE)
 ARTICLE (WITH BRACKETS)



LARGHEZZA PORTA
 DOOR WIDTH
 MIN, MAX

LUNGHEZZA
 BINARIO
 TRACK LENGTH

ARTICOLO (SENZA SQUADRETTE)
 ARTICLE (WITHOUT BRACKETS)



1699M1699M/250CON N° 6

1094mm - 1350mm

2500mm

1699M1699M/250SEN

1699M1699M/300CON N° 7

1360mm - 1600mm

3000mm

1699M1699M/300SEN


KIT con binari e BLISTER per porte fino a Kg.160 con fermo standard

Kit with tracks and BLISTER for doors up to 160 kg with classic stopper
 Kit avec rails et BLISTER pour portes jusqu'à 160 kg avec fermeture standard
 Set mit Führungsschienen und BLISTER für Türen mit einem Gewicht bis zu 160 Kg und Standard-Schließvorrichtung
 Kit con rieles y BLISTER para puertas hasta 160 kg con cerrojo estándar



PER PORTE Min 700mm
 FOR DOORS Min 700mm


KIT in scatola / KIT in box



ART. 160/T/G/SC/SEN



ART. 160/T/G/SC/CON



BINARI - TRACKS

BINARIO STANDARD
 STANDARD TRACK



Art. 1160

BINARI A RICHIESTA (SPECIFICARE ALL'ORDINE)
 OPTIONAL TRACKS (SPECIFY WHEN ORDERING)




Art. 160



Art. 1660

BLISTER



ARTICOLO (CON SQUADRETTE)
 ARTICLE (WITH BRACKETS)



LARGHEZZA PORTA
 DOOR WIDTH
 MIN. MAX

LUNGHEZZA
 BINARIO
 TRACK LENGTH

ARTICOLO (SENZA SQUADRETTE)
 ARTICLE (WITHOUT BRACKETS)



160/T/P/SC150CO	N° 4	700mm - 850mm	1500mm	160/T/P/SC150SE
160/T/P/SC165CO	N° 5	860mm - 950mm	1650mm	160/T/P/SC165SE
160/T/P/SC200CO	N° 5	960mm - 1100mm	2000mm	160/T/P/SC200SE
160/T/P/SC250CO	N° 6	1110mm - 1350mm	2500mm	160/T/P/SC250SE
160/T/P/SC300CO	N° 7	1360mm - 1600mm	3000mm	160/T/P/SC300SE

KIT con binari e BLISTER per porte fino a Kg.240 con fermo standard

Kit with tracks and BLISTER for doors up to 240 kg with classic stopper
 Kit avec rails et BLISTER pour portes jusqu'à 240 kg avec fermeture standard
 Set mit Führungsschienen und BLISTER für Türen mit einem Gewicht bis zu 240 Kg und Standard-Schließvorrichtung
 Kit con rieles y BLISTER para puertas hasta 240 kg con cerrojo estándar




PER PORTE Min 700mm
 FOR DOORS Min 700mm


KIT in scatola / KIT in box



ART. 240/T/G/SC/SEN



ART. 240/T/G/SC/CON



BINARI - TRACKS


BINARIO STANDARD
 STANDARD TRACK



Art.201

BINARI A RICHIESTA (SPECIFICARE ALL'ORDINE)
 OPTIONAL TRACKS (SPECIFY WHEN ORDERING)

BLISTER



ARTICOLO (CON SQUADRETTE)
 ARTICLE (WITH BRACKETS)



LARGHEZZA PORTA
 DOOR WIDTH
 MIN, MAX

LUNGHEZZA
 BINARIO
 TRACK LENGTH

ARTICOLO (SENZA SQUADRETTE)
 ARTICLE (WITHOUT BRACKETS)



240/T/P/SC150CO	N° 4	700mm - 850mm	1500mm	240/T/P/SC150SE
240/T/P/SC165CO	N° 5	860mm - 950mm	1650mm	240/T/P/SC165SE
240/T/P/SC200CO	N° 5	960mm - 1100mm	2000mm	240/T/P/SC200SE
240/T/P/SC250CO	N° 6	1110mm - 1350mm	2500mm	240/T/P/SC250SE
240/T/P/SC300CO	N° 7	1360mm - 1600mm	3000mm	240/T/P/SC300SE