




Micro 40 Fix

Concealed slides integrated into profiles with reduced dimensions
Scorrevoli invisibili integrati in profili di scorrimento di dimensioni ridotte



Micro 40 Fix

Concealed sliding elements integrated into profiles with reduced dimensions (40 mm)

Scorrevoli invisibili integrati in profili di scorrimento di dimensioni ridotte (40 mm)

NEW

EN

CONCEALED sliding elements, for fixed glass wall, integrated into aluminium profiles with reduced dimensions (40 mm)

IT

Sistema di scorrevoli **INVISIBILI** per pareti in vetro fisso, integrati in profili di scorrimento in alluminio di dimensioni ridotte (40 mm)

FR

Système de coulisses **INVISIBLES** intégrées dans les profils de glissement en aluminium avec des dimensions réduites (40 mm), pour le mur de verre fixe

DE


NICHT SICHTBARE Schiebesysteme, die in die Schiebepprofile aus Aluminium integriert wurden mit geringen Abmessungen (40 mm). Für feste Glaswand

ES

Sistema de correderas **INVISIBLES** integradas en los perfiles de deslizamiento de aluminio con dimensiones reducidas (40 mm), para la pared de cristal fijo












NEW














8 mm ÷ 10,7 mm











60 Kg




N°			KG	
1	2600		50	
2	2615		50	
3	2610		50	
4	1773		50	
5	1775		50	
6	1776			
7	1794			
8	328			For glass Per vetri 8-8,7 mm (5/16")
	326			For glass Per vetri 10-10,7 mm (3/8")


N°			KG	
9	2612			
10	1222			
11	2618			
12	2602		50	
13	2606/8			For glass Per vetri 8-8,7 mm (5/16")
	2606/10			For glass Per vetri 10-10,7 mm (3/8")
14	2604		50	
15	1488		50	
16	2628			
17	2608			

CODE	KG	KIT	
2602/2604	50		










ALUMINIUM TRACKS / BINARI IN ALLUMINIO		
		
ART. 2600	ART. 2615	ART. 2610










ACCESSORIES / ACCESSORI				
				
ART. 1775	ART. 1776	ART. 1773	ART. 328 (8/8,7mm - 5/16")	ART. 326 (10/10,7 mm - 3/8")

SIZE DESCRIPTION / DESCRIZIONE MISURE	
	 FIXED GLASS MILLING / FRESATURA VETRI FISSI  GLASS DOOR MILLING / FRESATURA ANTA VETRO



EASY TO MOUNTING / FACILE DA MONTARE



FOR FIXED GLASS, PLEASE LOOK AT PAGE 17 LE VARIE COMPOSIZIONI DEI VETRI FISSI SI TROVANO A PAG. 17					
					
	ART. 1773	ART. 1775	ART. 1776	ART. 1794	ART. 328 (8/8,7mm - 5/16")
	ART. 326 10/10,7 mm - 3/8")				
					
	ART. 1777	ART. 1779	ART. 1778		

TERNO SCORREVOLI

453



www.ternoscorrevoli.com/micro-40-fix