



## Schema assemblaggio livellatore tipo LV523


### Assembly scheme LV523 type

LIVELLATORE CARATTERIZZATO DALL'ESSERE ASSEMBLATO ALLA GIUNZIONE.  
SUPPORTA IL FIANCO ESTERNO. PARTICOLARMENTE VANTAGGIOSO NEL CASO IN CUI I FIANCHI INTERNI NON VANNO A TERRA IN QUANTO NON SONO NECESSARIE LAVORAZIONI.

PER AVERE LA STESSA LAVORAZIONE ED ESTETICA INTERNA SIA SUL PIANO INFERIORE SIA SUPERIORE ASSEMBLARE LA BOCCOLA SUL PIANO SUPERIORE CON LA TESTA RIVOLTA VERSO L'ALTO COME INDICATO NEL DETTAGLIO "A".

LEVEL ADJUSTER CHARACTERISED BY BEING ASSEMBLED TO THE CONNECTING FITTING.  
IT SUPPORTS THE OUTER SIDE. IT IS PARTICULARLY USEFUL IN CASES WHERE THE INTERNAL SIDES DO NOT GO ON THE GROUND AS MACHINING IS NOT REQUIRED.

IN ORDER TO HAVE THE SAME MACHINING AND INTERNAL AESTHETICS BOTH ON THE UPPER AND LOWER SURFACE, ASSEMBLE THE BUSHING ON THE UPPER SURFACE WITH THE COLLAR POINTING UPWARDS AS SHOWN IN DETAIL "A".







## Esempi di applicazioni livellatore tipo LV523

### Application example for leveler LV523 type

SUPPORTA IL FIANCO ESTERNO.  
PARTICOLARMENTE VANTAGGIOSO  
NEL CASO IN CUI I FIANCHI INTERNI  
NON VANNO A TERRA, IN QUANTO  
NON SONO NECESSARIE  
LAVORAZIONI.

IT SUPPORTS THE OUTER SIDE.  
IT IS PARTICULARLY USEFUL IN  
CASES WHERE THE INTERNAL SIDES  
DO NOT GO ON THE GROUND AS  
MACHINING IS NOT REQUIRED.





## Livellatore tipo LV523 Level adjuster LV523 type



Test Report 34775/1S - 34778/1S

LIVELLATORE SOTTO BASE LATO  
SPALLA .

LEVELER FOR BOTTOM LOCATION  
OUTER SIDE.




1500 N



15 mm  
0 mm

nylon FV - acciaio  
nylon FG - steel



tipo type	misura measure	H	finitura finishing	box	kg / box	pack
LV523.	60.	60	55 grigio grey	300	18,9	10
	70.	70			20,4	
	80.	80			21,3	

es./e.g.: LV523.60.55

## Livellatore tipo LV523 con giunzioni Level adjuster LV523 type with connecting fittings

LIVELLATORE SOTTO BASE LATO  
SPALLA PREASSEMBLATO CON LE  
GIUNZIONI INDICATE IN TABELLA  
SVOLGE SIA LA FUNZIONE DI  
LIVELLATORE SIA DI GIUNZIONE.

THE SUB-BASE LEVEL ADJUSTER  
OUTER SIDE PRE-ASSEMBLED WITH  
THE CONNECTING FITTINGS  
INDICATED IN THE TABLE ACTS BOTH  
AS LEVEL ADJUSTER AND AS  
CONNECTING FITTING.



PER GRANO PREASSEMBLATO  
INSERIRE LETTERA "G" NEL CODICE.

WITH PRE-ASSEMBLED GRAIN,  
PLEASE ADD THE LETTER "G" TO  
THE ARTICLE CODE.

es./e.g.: LV52360.CT88G1418.07




1500 N



15 mm  
0 mm

nylon Fv - acciaio - zama  
nylon FG - steel - die-cast



LIVELLATORE LEVEL ADJUSTER		GIUNZIONE CONNECTING FITTING					ASSIEME ASSEMBLY		
tipo type	H	tipo type	ØD	A	B	finitura finishing	box	kg / box	pack
LV52360.	60	CT881418.	13,9	9	17,8	00 grezzo raw 05 ottinato brass 06 bronzato bronzed 07 nichelata nickel	250	18,0	10
LV52370.	70	CT881420.		10	18,8			20,0	
LV52380.	80	CT881422.		11	19,8			21,0	
		CT881425.		12,5	21,8				
		CT881622.		11	19,8				
		CT881625.	15,9	12,5	21,8				
		CT881630.		15	23,8				
		ECT881518.	14,7	9	17,8				
		ECT881525.	14,7	12,5	21,3				
		ECT881532.	14,7	16	24,8				

es./e.g.: LV52360.CT881425.00  
es./e.g.: LV52360.ECT881518.07