


42MM SYSTEMS

SLIDING DOOR S1200 LED














Maximum size (W x H): 1400 x 2750 mm
Minimum size (W x H): 500 x 700 mm
Element weight: max. 180 kg






















- | | | | | | |
|----------|-----------|----------------------------------|-----------|-----------|-------------------------------|
| 1 | 12.11.0xx | Stile S1200 LED | 8 | 12.16.0xx | Top and bottom rail S1200 LED |
| 2 | 10.42.050 | Cover set for LED profiles | 9 | 10.01.013 | Top roller S1200 left |
| 3 | 10.01.070 | Reinforcement for punching holes | 10 | 10.01.014 | Top roller S1200 right |
| 4 | 10.01.120 | Bottom roller incl. antijump | 11 | 10.07.215 | Washer for frame screw |
| 5 | 10.07.xxx | Frame screw 6.3 x 32mm | 12 | 80.24.010 | Cover profile f. top rail LED |
| 6 | 10.42.052 | Screw M6 x 12 | 13 | 27.01.035 | Felt strip |
| 7 | 10.42.051 | Square nut M6 | | | |

42MM SYSTEMS













S1200 LED – PROFILES AND FITTINGS

| drawing | art. no. | description | | length | packing unit | unit | |
|---|-----------|--------------------------------|-------------------------------|--------|--------------|------|--|
| Stiles | | | | | | | |
|  | 12.11.022 | stile S1200 LED | silver (EV1) | 5600 | 8 | 1 | |
| | 12.11.042 | | light bronze (C32) | 5600 | 8 | 1 | |
| | 12.11.052 | | dark bronze (C34) | 5600 | 8 | 1 | |
| | 12.11.063 | | white (RAL9016) | 5600 | 8 | 1 | |
| | 12.11.066 | | black mat | 5600 | 8 | 1 | |
|  | 12.17.010 | cover profile LED | translucent | 2800 | 1 | 1 | |
| Rails | | | | | | | |
|  | 12.16.020 | top and btm. rail S1200 LED | silver (EV1) | 5000 | 8 | 1 | |
| | 12.16.040 | | light bronze (C32) | 5000 | 8 | 1 | |
| | 12.16.050 | | dark bronze (C34) | 5000 | 8 | 1 | |
| | 12.16.060 | | white (RAL9016) | 5000 | 8 | 1 | |
| | 12.16.065 | | black mat | 5000 | 8 | 1 | |
|  | 80.24.010 | cover profile f. top rail LED | translucent | 4000 | 1 | 1 | |
| Dividing rails | | | | | | | |
|  | 12.22.022 | dividing rail S42 glued,12mm | silver (EV1) | 5600 | 8 | 1 | |
| | 12.22.040 | | light bronze (C32) | 5000 | 8 | 1 | |
| | 12.22.052 | | dark bronze (C34) | 5600 | 8 | 1 | |
| | 12.22.060 | | white (RAL9016) | 5000 | 8 | 1 | |
| | 12.22.066 | | black mat | 5600 | 8 | 1 | |
|  | 14.22.020 | stabilization rail | silver (EV1) | 5000 | 1 | 1 | |
| | 14.22.040 | | light bronze (C32) | 5000 | 1 | 1 | |
| | 14.22.050 | | dark bronze (C34) | 5000 | 1 | 1 | |
| | 14.22.060 | | white (RAL 9016) | 5000 | 1 | 1 | |
| | 14.22.065 | | black mat | 5000 | 1 | 1 | |
|  | 10.04.121 | connect. f. stabilization rail | nickel mat | | 1 | 1 | |
| | 10.04.122 | | nickel black | | 1 | 1 | |
| Fittings | | | | | | | |
|  | 10.01.014 | top roller S1200 | right | | 50 | 1 | |
| | 10.01.013 | | left | | 50 | 1 | |
|  | 10.01.120 | bottom roller incl. antijump, | 30mm screw | | 50 | 1 | |
| | 10.01.025 | | 30mm screw, non corrosive | | 50 | 1 | |
|  | 10.01.121 | security bottom roller | 30mm screw, burnished | | 50 | 1 | |
|  | 10.01.119 | screw f. bottom roller | M5x30, stainl.steel w. TufLok | | 50 | 100 | |
| | 10.01.122 | | M5x30, black | | 50 | 100 | |
| | 10.01.123 | | M5x30, white | | 50 | 100 | |
|  | 10.01.070 | reinforcement f.punching holes | 50mm | | 100 | 1 | |
|  | 10.07.012 | frame screws 6,3 x 32mm | stainless steel | | 500 | 100 | |
| | 10.07.211 | | light bronze | | 50 | 100 | |
| | 10.07.213 | | black oxidized | | 50 | 100 | |
| | 10.07.214 | | silver mat | | 50 | 100 | |
| | 10.07.212 | | white head | | 50 | 100 | |

| drawing | art. no. | description | | length | packing unit | unit |
|---|-----------|--------------------------------|--------------------------------|--------|--------------|------|
|  | 10.07.215 | washer for frame screw | (dividing rail), steel | | 1 | 1 |
|  | 10.42.052 | screw M6x12 | for top roller S1200 | | 1 | 1 |
|  | 10.42.051 | square nut M6 | | | 1 | 1 |
|  | 10.42.060 | cover set for LED profiles | silver gray | | 1 | 1 |
| | 10.42.061 | | white | | 1 | 1 |
| | 10.42.062 | | black | | 1 | 1 |
|  | 10.42.063 | mounting plate set | for energy chain S1200 LED | | 1 | 1 |
|  | 10.42.046 | energy chain incl. connection | 145 elements | | 1 | 1 |
|  | 27.01.035 | felt strip | 1.400mm | | 1 | 1 |
|  | 10.42.049 | cable channel, self-adhesive | 1.000mm, silver | | 1 | 1 |
| Electrical parts S1200 LED | | | | | | |
|  | 10.42.040 | LED strip for stile S1200 | 2.800mm, incl. lead 2m | | 1 | 1 |
| | 10.42.041 | LED strip for rail S1200 | 2.800mm, incl. leads 2+3m | | 1 | 1 |
|  | 10.42.044 | LED extension | 5.000mm | | 1 | 1 |
|  | 10.42.043 | LED Y-distributor | | | 1 | 1 |
|  | 10.42.030 | LED 1-channel control incl.EVG | + remote control, STARTER-KIT | | 1 | 1 |
|  | 10.42.031 | LED 1-channel control incl.EVG | w/o remote control, FOLLOW-KIT | | 1 | 1 |
|  | 10.42.035 | LED 4-channel control incl.EVG | + remote control, STARTER-KIT | | 1 | 1 |
|  | 10.42.036 | LED 4-channel control incl.EVG | w/o remote control, FOLLOW-KIT | | 1 | 1 |
|  | 10.42.045 | gateway (app control) | | | 1 | 1 |
|  | 10.42.055 | grommet for top track (top) | S1200 LED door | | 1 | 100 |
|  | 10.42.056 | grommet for top track (side) | S1200 LED door | | 1 | 100 |
| Gaskets | | | | | | |
|  | 10.07.031 | 4mm gasket all series | transparent | | 100 | 100 |
| | 10.07.032 | 5mm gasket all series | transparent | | 100 | 100 |
| | 10.07.033 | 6mm gasket all series | transparent | | 100 | 100 |
| | 10.07.029 | 7mm gasket all series | transparent | | 100 | 100 |
| | 10.07.034 | 8mm gasket all series | transparent | | 100 | 100 |
| | 10.07.131 | 4mm gasket all series | dark | | 100 | 100 |
| | 10.07.133 | 6mm gasket all series | dark | | 100 | 100 |
| | 10.07.129 | 7mm gasket all series | dark | | 100 | 100 |
| | 10.07.134 | 8mm gasket all series | dark | | 100 | 100 |

42MM SYSTEMS

S1200 LED – PROFILES AND FITTINGS

| drawing | art. no. | description | | length | packing unit | unit | | |
|---|-----------|--------------------------------|-------------------------------|--------|--------------|------|--|--|
| Plugs | | | | | | | | |
|  | 20.08.566 | bump stop | transparent, 10 x 1,5mm | | 100 | 100 | | |
|  | 20.08.562 | plugs for drilling holes 13mm | silver | | 20 | 1 | | |
| | 20.08.563 | | black mat | | 20 | 1 | | |
| | 20.08.564 | | light bronze | | 20 | 1 | | |
| | 20.08.565 | | white | | 20 | 1 | | |
| Handles | | | | | | | | |
|  | 10.01.911 | handle rectangular,self-adhes. | silver anodized | | 1 | 1 | | |
| | 10.01.912 | | light bronze lacquered | | 1 | 1 | | |
| | 10.01.913 | | dark bronze lacquered | | 1 | 1 | | |
| | 10.01.914 | | white lacquered | | 1 | 1 | | |
| | 10.01.915 | | black mat lacquered | | 1 | 1 | | |
|  | 10.01.909 | screw | M4 x 14mm | | 100 | 100 | | |
|  | 10.01.941 | handle rectang. (backside) for | walk-through, silver anodized | | 1 | 1 | | |
| | 10.01.942 | | walk-through, l-bronze lacq. | | 1 | 1 | | |
| | 10.01.943 | | walk-through, d- bronze lacq. | | 1 | 1 | | |
| | 10.01.944 | | walkthrough, white lacquered | | 1 | 1 | | |
| | 10.01.945 | | walkthrough, black mat lacq. | | 1 | 1 | | |
| Additional equipment | | | | | | | | |
|  | 25.12.015 | double side tape f. tracks | 50mm x 25m | | 1 | 1 | | |
| | 25.12.044 | double side tape for insert | b.track, 42 sys., 30mm x 25m | | 1 | 1 | | |
| | 25.12.062 | double side tape for LED cover | profile, 6mm x 50m | | 1 | 1 | | |
| | 25.12.063 | double side tape f. div. rail | 12mm, 9mm x 50m, white | | 1 | 1 | | |
| | 25.12.064 | | 12mm, 9mm x 50m, black | | 1 | 1 | | |
|  | 30.11.040 | punching tool S1200 | 6BL091003 | | 1 | 1 | | |
|  | 30.14.018 | drilling template S1200 | | | 1 | 1 | | |
|  | 30.15.031 | press-on tool for LED stripe | | | 1 | 1 | | |
|  | 30.14.020 | countersink set w. guiding pin | for drilling template S1200 | | 1 | 1 | | |
| | 30.12.020 | punching machine | hydropneumatic DYNO 6 | | 1 | 1 | | |
|  | 30.14.030 | plastic hammer, white | size 3, 70x120mm | | 1 | 1 | | |
|  | 30.15.020 | grind rubber | grain size 120 | | 1 | 1 | | |
| | 30.15.010 | | grain size 240 | | 1 | 1 | | |